


LTM 1080/1 L

85%


157 ft T	--
----------	----

061513

TAB 134057

20.01

 ft	 ft > < lbs						CODE >002< L134 1400 .x(x)			
	36	46	46	59	59	59	69	69	69	79
10	149,000	149,000	90,500	137,000	74,000	64,500				
11	141,000	141,000	87,000	131,000	70,500	62,000				
12	134,000	134,000	83,500	126,000	67,500	59,500	110,000	55,800	55,800	
13	127,000	127,000	80,000	121,000	64,500	57,100	107,000	53,600	53,700	
14	121,000	120,000	76,500	116,000	61,500	54,800	104,000	51,600	51,700	
15	115,000	114,000	73,500	111,000	58,500	52,600	101,000	49,600	49,700	84,000
16	109,000	109,000	71,000	106,000	55,800	50,500	98,000	47,700	47,800	81,500
17	104,000	104,000	68,500	102,000	53,500	48,700	95,500	45,900	46,000	79,500
18	100,000	99,500	66,000	98,000	51,600	47,100	93,000	44,100	44,200	77,500
20	91,000	90,500	61,500	89,500	47,900	44,000	87,500	40,700	40,800	73,500
22	83,500	83,500	57,800	82,500	44,800	41,500	81,500	38,200	38,300	69,500
24	76,500	76,500	54,100	75,500	41,800	39,100	75,000	36,000	36,000	66,000
26	70,000	70,000	50,600	68,500	39,100	36,800	68,500	34,000	33,900	62,500
28		64,000	48,100	63,000	36,700	34,800	62,000	32,200	32,000	58,200
30		59,000	45,900	57,900	34,300	32,800	55,800	30,400	30,200	53,800
32		54,600	43,900	53,300	32,100	31,000	50,700	28,800	28,600	49,000
34		50,600	42,000	49,200	30,400	29,600	46,500	27,300	27,000	45,100
36		47,000	40,200	45,400	29,000	28,400	42,900	25,900	25,500	41,700
38		43,400	38,500	41,600	27,600	27,300	39,300	24,500	24,100	38,300
40				38,200	26,300	26,200	36,100	23,200	22,800	35,200
45				31,800	23,500	23,800	30,200	21,100	20,600	29,400
50							25,600	19,200	18,600	25,000
55							21,800	17,400	16,900	21,400
60										18,300
65										15,600
70										13,500
75										
80										
85										
90										
95										
100										
105										
110										
115										
120										
* n *	10!	10!	7	10!	6	5	9	5	5	7
1	0+	0+	0+	46+	0+	0+	92+	0+	0+	92+
2	0+	46+	0+	46+	0+	0+	46+	0+	0+	92+
3	0+	0+	0+	0+	0+	0+	0+	0+	0+	0+
4	0+	0+	0+	0+	46+	0+	0+	92+	46+	0+
5	0+	0+	46+	0+	46+	92+	0+	46+	92+	0+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23

	157 ft T	--	 35,500 lbs	 27 x 23 ft	 360°		
--	----------	----	--	---	---	--	--

85%


157 ft T	--
----------	----

061513

TAB 134057

20.01

 ft	 ft > < lbs					CODE >002< L134 1400 .x(x)				
	79	79	92	92	92	102	102	102	115	115
10										
11										
12										
13										
14										
15	57,700	41,800								
16	55,800	40,300								
17	54,000	39,000	67,000	45,300	39,400					
18	52,200	37,700	65,500	44,100	38,300					
20	48,800	35,100	63,000	41,700	36,100	54,500	45,200	35,200		
22	45,700	32,800	60,500	39,300	34,200	52,400	43,000	33,700		
24	42,700	30,600	58,100	37,000	32,300	50,400	40,900	32,200	43,500	35,200
26	39,800	28,500	55,700	34,800	30,500	48,400	38,800	30,700	42,200	33,800
28	37,800	27,000	53,100	33,100	29,100	46,600	36,800	29,300	41,000	32,400
30	35,900	25,600	50,300	31,500	27,800	44,900	35,000	28,000	39,800	31,100
32	34,200	24,400	47,400	30,000	26,500	43,100	33,200	26,600	38,800	29,800
34	32,700	23,200	44,300	28,700	25,400	41,100	31,600	25,400	37,400	28,600
36	31,200	22,200	41,000	27,400	24,400	39,000	30,300	24,300	36,000	27,400
38	29,800	21,100	37,800	26,200	23,400	36,800	29,000	23,300	34,500	26,300
40	28,400	20,100	34,800	25,000	22,400	34,700	27,700	22,300	32,900	25,200
45	25,300	17,800	29,200	22,300	20,100	29,300	25,000	20,100	28,800	22,800
50	22,800	16,000	24,900	19,900	18,200	25,100	22,600	18,200	24,900	20,700
55	20,700	14,500	21,400	18,000	16,600	21,700	20,300	16,400	21,600	18,800
60	18,900	13,400	18,400	16,600	15,400	18,800	18,300	14,800	18,700	17,000
65	17,400	12,300	15,900	15,300	14,300	16,500	17,000	13,800	16,400	15,300
70	15,900	11,300	13,900	14,100	13,300	14,500	15,800	12,900	14,500	14,200
75			12,000	12,900	12,400	12,700	14,600	12,000	12,800	13,300
80						11,000	13,300	11,200	11,200	12,400
85						9,600	11,800	10,300	9,800	11,500
90						8,500	10,500	9,600	8,700	10,600
95									7,700	9,700
100									6,800	8,800
105										
110										
115										
120										
* n *	5	4	5	4	3	5	4	3	4	3
1	0+	0+	92+	0+	0+	92+	0+	0+	92+	0+
2	0+	0+	92+	0+	0+	92+	92+	0+	92+	92+
3	92+	0+	46+	92+	46+	46+	92+	92+	92+	92+
4	46+	92+	0+	92+	92+	46+	46+	92+	46+	92+
5	46+	92+	0+	46+	92+	0+	46+	92+	0+	46+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23

	157 ft T	--	 35,500 lbs	 27 x 23 ft	 360°		
--	----------	----	--	---	---	--	--

85%


157 ft T	--
----------	----

061513

TAB 134057

20.01

 ft	 ft > < lbs						CODE >002< L134 1400 .x(x)			
	115	125	125	138	138	148	157	46	59	69
10								38,300	34,200	
11								38,300	34,000	
12								38,200	33,800	24,000
13								38,200	33,700	23,600
14								38,200	33,500	23,300
15								38,200	33,400	22,900
16								38,200	33,300	22,500
17								38,200	33,200	22,200
18								38,200	33,100	21,900
20								38,200	33,000	21,300
22								38,200	32,900	20,700
24	31,700							38,200	32,800	20,200
26	30,500							38,200	32,800	19,700
28	29,500	35,500	28,100	30,300	27,100			38,200	32,800	19,300
30	28,400	34,500	27,200	29,600	26,500	26,000	20,900	38,200	32,800	18,900
32	27,300	33,500	26,300	28,900	25,900	25,600	20,500	38,200	32,800	18,500
34	26,300	32,600	25,500	28,200	25,300	25,000	20,000	38,200	32,800	18,200
36	25,300	31,600	24,700	27,500	24,700	24,300	19,500	38,200	32,800	17,900
38	24,400	30,700	23,800	26,900	24,100	23,600	19,000	38,200	32,800	17,600
40	23,400	29,800	23,000	26,200	23,400	23,000	18,600		32,600	17,300
45	21,400	27,400	20,900	24,100	21,500	21,200	17,500		30,900	16,800
50	19,600	24,700	19,100	22,300	19,800	19,700	16,400			16,600
55	17,900	22,000	17,500	20,600	18,300	18,300	15,400			16,600
60	16,400	19,200	15,900	19,000	16,900	17,100	14,400			
65	15,000	17,000	14,500	17,000	15,600	15,900	13,500			
70	14,000	15,100	13,200	15,200	14,400	14,800	12,800			
75	13,200	13,400	12,200	13,500	13,300	13,700	12,000			
80	12,400	11,900	11,500	12,100	12,300	12,500	11,300			
85	11,700	10,400	10,800	10,700	11,700	11,200	10,600			
90	11,000	9,300	10,200	9,500	10,600	10,000	9,800			
95	10,300	8,300	9,600	8,500	9,600	8,900	8,800			
100	9,700	7,400	9,000	7,600	8,800	8,000	8,000			
105		6,600	8,400	6,800	8,000	7,300	7,200			
110		5,900	7,700	6,200	7,300	6,600	6,500			
115				5,600	6,600	5,900	5,900			
120				5,000	6,100	5,400	5,300			
* n *	3	3	3	3	2	2	2	3	3	2
1	0+	92+	0+	92+	46+	92+	100+	0+	46-	92-
2	46+	92+	92+	92+	92+	92+	100+	46-	46+	46+
3	92+	92+	92+	92+	92+	92+	100+	0+	0+	0+
4	92+	46+	92+	92+	92+	92+	100+	0+	0+	0+
5	92+	46+	92+	46+	92+	92+	100+	0+	0+	0+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23

	157 ft T	--	 35,500 lbs	 27 x 23 ft	 360°		
--	----------	----	--	---	---	--	--

157 ft T	--
----------	----

20.01

[illegible]

85%

157 ft T	K 0°
	34 ft

061513

TAB 134063

20.02

 ft	 ft > < lbs						CODE >026< L134 0010 .x(x)			
	125	125	138	138	148	157				
34	21,000	15,800								
36	20,700	15,400								
38	20,500	14,900								
40	20,300	14,500	16,800	14,100	13,600	9,900				
45	19,300	13,400	15,900	13,300	12,900	9,700				
50	17,900	12,500	15,100	12,500	12,200	9,400				
55	16,600	11,700	14,300	11,700	11,500	9,100				
60	15,400	11,000	13,400	11,000	10,900	8,700				
65	14,400	10,300	12,600	10,400	10,300	8,300				
70	13,400	9,700	11,800	9,800	9,800	8,000				
75	12,500	9,100	11,000	9,300	9,400	7,700				
80	11,500	8,500	10,300	8,800	8,900	7,400				
85	10,400	8,000	9,600	8,300	8,500	7,000				
90	9,400	7,400	9,000	7,800	8,100	6,700				
95	8,400	7,000	8,300	7,400	7,700	6,400				
100	7,500	6,600	7,500	6,900	7,300	6,100				
105	6,800	6,200	6,700	6,600	6,900	5,800				
110	6,100	5,900	6,100	6,300	6,200	5,600				
115	5,500	5,600	5,500	6,000	5,600	5,200				
120	4,900	5,300	4,900	5,700	5,000	4,800				
125	4,300	5,000	4,400	5,300	4,500	4,300				
130	3,800	4,700	3,900	4,800	4,000	3,800				
135	3,300	4,500	3,400	4,300	3,600	3,400				
140	2,800	4,200	2,900	3,800	3,100	3,000				
145	2,400	3,900	2,500	3,400	2,700	2,600				
150	2,000	3,500	2,100	3,000	2,300	2,200				
155			1,700	2,600	2,000	1,900				
160					1,600	1,500				
* n *	2	2	2	2	1	1				
1	92+	0+	92+	46+	92+	100+				
2	92+	92+	92+	92+	92+	100+				
3	92+	92+	92+	92+	92+	100+				
4	46+	92+	92+	92+	92+	100+				
5	46+	92+	46+	92+	92+	100+				
 %										
 ft/s	23	23	23	23	23	23				

	157 ft T	K 0°	34 ft	35,500 lbs	27 x 23 ft	360°		
--	----------	------	-------	------------	------------	------	--	--

85%

157 ft T

K 0°

62 ft

061513

TAB 134063

20.02

 ft	 ft > < lbs						CODE >032< L134 0011 .x(x)			
	125	125	138	138	148	157				
40	8,100	7,300								
45	8,000	7,300								
50	7,800	7,100	7,200	6,800	6,500	5,800				
55	7,600	6,900	7,000	6,800	6,400	5,900				
60	7,300	6,700	6,900	6,700	6,400	5,900				
65	7,100	6,600	6,700	6,600	6,300	5,800				
70	7,000	6,400	6,600	6,400	6,200	5,600				
75	6,800	6,300	6,500	6,300	6,100	5,400				
80	6,600	6,200	6,300	6,100	5,900	5,300				
85	6,500	5,900	6,200	6,000	5,800	5,100				
90	6,300	5,600	6,100	5,700	5,700	4,900				
95	6,200	5,400	6,000	5,500	5,500	4,800				
100	6,000	5,200	5,900	5,300	5,300	4,600				
105	5,800	4,900	5,800	5,100	5,100	4,500				
110	5,600	4,800	5,700	4,900	4,900	4,400				
115	5,500	4,600	5,600	4,700	4,700	4,200				
120	5,200	4,400	5,400	4,600	4,500	4,000				
125	4,900	4,300	4,800	4,400	4,400	3,900				
130	4,400	4,100	4,400	4,300	4,200	3,700				
135	4,000	3,900	3,900	4,100	3,900	3,600				
140	3,600	3,700	3,500	4,000	3,600	3,300				
145	3,200	3,500	3,100	3,800	3,200	3,000				
150	2,700	3,300	2,800	3,600	2,800	2,600				
155	2,400	3,100	2,400	3,200	2,500	2,300				
160	2,000	2,900	2,100	2,800	2,200	2,000				
165	1,700	2,700	1,700	2,500	1,900	1,700				
170	1,400	2,600	1,400	2,200	1,500	1,400				
175		2,300		1,900						
180				1,600						
* n *	1	1	1	1	1	1				
1	92+	0+	92+	46+	92+	100+				
2	92+	92+	92+	92+	92+	100+				
3	92+	92+	92+	92+	92+	100+				
4	46+	92+	92+	92+	92+	100+				
5	46+	92+	46+	92+	92+	100+				
 %										
 ft/s	23	23	23	23	23	23				

	157 ft T	K 0°	35,500 lbs	27 x 23 ft	360°		
--	----------	------	------------	------------	------	--	--

157 ft T	K 20° 34 ft
----------	----------------

20.02

157 ft T K 20°
34 ft

35,500
lbs

27 x
23
ft

360°

157 ft T	K 20° 62 ft
----------	----------------

20.02

Diagram illustrating the components and dimensions of the structure:

- 157 ft T
- K 20°
- 62 ft
- 35,500 lbs
- 27 x 23 ft
- 360°

157 ft T	K 40° 34 ft
----------	----------------

20.02

157 ft T	K 40° 62 ft
----------	----------------

20.02

The diagram shows a room layout with the following items:

- A rectangular table labeled "157 ft T".
- A square table labeled "K 40°" and "62 ft".
- A hanging scale labeled "35,500 lbs".
- A small table with two stools, labeled "27 x" and "23 ft".
- A circular arrow indicating a 360° rotation, labeled "360°".